

**IN THE ABSTRACT:**

Please replace the abstract as follows:


A hollow-interior vehicle door consisting of an internal in its entirety essentially pot-shaped stiffening structure, and of at least one external outer panel element being essentially lid-shaped and supported by the essentially pot-shaped or pan-shaped stiffening structure, such as a door skin, as well as of functional parts for practicing the door functions, and of optionally an inner panel element, in which the essentially pot-shaped or pan-shaped stiffening structure serves to accommodate functional parts of the vehicle door. The essentially pot-shaped or pan-shaped stiffening structure is divided into two parts, in fact, into a first frame-shaped stiffening element for supporting the outer panel element and into a second essentially pot-shaped or pan-shaped stiffening element for supporting functional parts of the vehicle door and that the two stiffening elements have, in the area of the outward-pointing, thus in Y-direction pointing, side walls of the door interior, elongated, preferably frame-shaped connecting surfaces which define the access opening to the door interior.

**REMARKS**

Applicant respectfully requests examination of this application.

Respectfully submitted,

**CARLSON, GASKEY & OLDS, P.C.**



Karin H. Butchko  
Registration No. 45,864  
Attorneys for Applicant  
400 West Maple Road, Suite 350  
Birmingham, Michigan 48009  
(248) 988-8360

Dated: March 26, 2002

**VERSION WITH MARKINGS TO SHOW CHANGES MADE**  
**SPECIFICATION**

Page 1, after the title before line 1, please insert the following section heading:

**BACKGROUND OF THE INVENTION**

Page 2, on line 21, please insert the following section heading:

**SUMMARY OF THE INVENTION**

Page 5, on line 22, please insert the following section heading:

**BRIEF DESCRIPTION OF THE DRAWINGS**

Page 7, on line 4, please insert the following section heading:

**DETAILED DESCRIPTION OF A PREFERRED EMBODIMENT**

**VERSION WITH MARKINGS TO SHOW CHANGES MADE**

**CLAIMS**

Page 13, before the first claim, please insert the section heading:

--What is claimed is:--

**VERSION WITH MARKINGS TO SHOW CHANGES MADE**

**ABSTRACT**

Please replace the abstract as follows:

A [hollow] ~~Hollow~~-interior vehicle door consisting of an internal in its entirety essentially pot-shaped stiffening structure, and of at least one external outer panel element being essentially lid-shaped and supported by the essentially pot-shaped or pan-shaped stiffening structure, such as a door skin, as well as of functional parts for practicing the door functions, and of optionally an inner panel element, in which the essentially pot-shaped or pan-shaped stiffening structure serves to accommodate functional parts of the vehicle door. The essentially pot-shaped or pan-shaped stiffening structure is divided into two parts, in fact, into a first frame-shaped stiffening element [(12)] for supporting the outer panel element [(outer panel 10)] and into a second essentially pot-shaped or pan-shaped stiffening element [(14)] for supporting functional parts of the vehicle door [(1)] and that the two stiffening elements [(12 and 14)] have, in the area of the outward-pointing, thus in Y-direction pointing, side walls of the door interior [(1A)], elongated, preferably frame-shaped connecting surfaces [(18 and 18')] which define the access opening [(1B)] to the door interior [(1A)].